

胸部X-ray影像判讀
肺實質化病變與肺塌陷

王耀東醫師

中山醫學大學附設醫院
內科部 胸腔內科

Consolidation -Radiology

- An essentially **homogeneous opacity** in the lung characterized by **little or no loss of volume**, by effacement of **pulmonary blood vessels**, and sometimes by the presence of an **air-bronchogram**.

Consolidation -Pathophysiology

- The process by which **air** in the lung is replaced by the **products of disease**, *rendering the lung solid* (as pneumonia).

This dense material may consist of:

- **Pus** (pneumonia)
- **Fluid** (pulmonary edema)
- **Blood** (pulmonary hemorrhage)
- **Cells** (cancer)

Alveolar pattern



A: Air-bronchogram;
Air-alveologram; Acinus shadow

B: Butterfly distribution

C: Change pattern rapidly

D: Distribution of segmental or lobar

E: Early Coalescence

F: Fluffy margin

G: Ground glass appearance



ETIOLOGY OF ALVEOLAR PATTERN

Edema	Cardiac; Non-cardiac
Hemorrhage	Pul. hemorrhage
Exudate	Infectious; Non-infectious
Tumor	Bronchoalveolar cell carcinoma Lymphoma
Others	PAP; Eosinophilic lung diseases...

Objectives of Radiography Study


- **Identify the location and extent** of the consolidation
- Correlation of clinical findings
- The findings are consistent with disease process
- To assess the evolution on sequential films
- Identify any complicating features

Identify the Location

Differential diagnosis of
intra-pulmonary (consolidation) and
extra-pulmonary (e.g. pleural) lesion


- Radiology anatomy
- Border of lesion (complete or incomplete)
- Shape of the lesion


07 P-A L




Breast carcinoma S/P MRM

Breast








post mammoplasty



post mammoplasty



Bil nipples



Pleural thickening






Identify the Location

Differential diagnosis of
intra-pulmonary (consolidation) and
extra-pulmonary (e.g. pleural) lesion


- Radiology anatomy
- Border of lesion (complete or incomplete)
- Shape of the lesion



Identify the Location


-Radiology Anatomy of Lung

- The **septa** of the lobe
- The **lobar** distribution
- The **segmental** distribution




Septa of The Lobes

- Major (oblique) fissure
- Minor (horizon) fissure




Lobar Distribution

- Right Lung: RUL, RML, RLL
- Left Lung: LUL, LLL




Nomenclature of Right Lung Segments

- Upper lobe
 - Apical (B1)
 - Anterior (B2)
 - Posterior (B3)
- Middle lobe
 - Lateral (B4)
 - Medial (B5)
- Lower lobe
 - Superior (B6)
 - Medial (B7)
 - Anterior (B8)
 - Lateral (B9)
 - Posterior (B10)



Nomenclature of Left Lung Segments

- Upper Lobe
 - Upper division
 - Apicoposterior (B1-2)
 - Anterior (B3)
 - Lower division
 - Superior (B4)
 - Inferior (B5)
- Lower lobe
 - Superior (B6)
 - Anterior (B8)
 - Lateral (B9)
 - Posterior (B10)





Anomalous Lobes

- Azygos lobe
- Superior accessory lobe
- Inferior accessory lobe



Azygos Lobe

- Azygos fissure
- 1% of anatomic specimen
0.4% of CXR





Superior Accessory Lobe

- 5% of anatomic specimen, bilateral
- Separation of superior segment of lower lobe



Inferior Accessory Lobe

- Separate the lateral border of medial basal segment from others in lower lobe
- 1/3 of anatomic specimen





Identify the Location

Differential diagnosis of
intra-pulmonary (consolidation) and
extra-pulmonary (e.g. pleural) lesion

- Radiology anatomy
- **Border of lesion (complete or incomplete)**
- Shape of the lesion

SILHOUETTE SIGN



**Figure 2-5. SILHOUETTE SIGN
ILLUSTRATED BY
ROENTGENOGRAMS OF A MODEL**
(Courtesy of Dr. E. Martinez.)

- **Silhouette:** 就是〈輪廓、側影〉的意思
- 在X光片上的兩個連接的影像，如果兩個影像在前後的層面是同一層的，則界限不清楚，稱作Silhouette sign (+)

Silhouette Sign

- When an object is in contact with another of different density the **adjoining edge is visible** e.g. heart border against aerated lung
- When objects of the same density are in contact the **adjoining edge is invisible** e.g. heart border against consolidated lung



Silhouette Sign

Lobe

Right middle lobe


Left lingula

Right lower lobe

Left lower lobe

Post apical segment left upper lobe

Ant segment right upper lobe



Silhouetted structure

Right heart border

Left heart border

Right hemidiaphragm

Left hemidiaphragm

Aortic knob


Ascending aorta

DDx of Consolidation


- **Lung collapse**
- **Lobar consolidation**
 - Infection (pneumonia)
 - Pulmonary infarction
 - Localized edema
 - others
- **Lobar enlargement**

DDx of Consolidation

-Lung collapse



Silhouette Sign(+)



Direct sign of collapse



- 1. Increased redioopacity
- 2. Displacement of fissure →
- 3. Bronchovascular crowding




Indirect sign of collapse

- 1. Displacement of hilum
- 2. Elevation of diaphragm
- 3. Shift of mediastinal structure
- 4. Narrowing of intercostal space
- 5. Compensatory emphysema
- 6. Herniation of lung
- 7. Absence of air bronchogram

**RUL
collapse**





a 右上葉膨脹不全



b 右中葉膨脹不全


RML collapse






b 右中葉膨脹不全


RML collapse






b 右中葉膨脹不全

RML collapse







c 右下葉膨脹不全




RLL collapse




RML & RLL collapse




LUL collapse



d 左上葉膨脹不全





LUL collapse



d 左上葉膨脹不全


LLL collapse





f 左下葉膨脹不全



Left lingular lobe collapse



e 左舌區膨脹不全




e 左舌區膨脹不全

Left lingular lobe Collapse



Total collapse, right lung




**Total collapse, improved, right lung
(sputum impaction)**


Identify the Location

Differential diagnosis of
intra-pulmonary (consolidation) and
extra-pulmonary (e.g. pleural) lesion

- Radiology anatomy
- Border of lesion (complete or incomplete)
- Shape of the lesion




Lung ca, adenocarcinoma, RUL




Cancer or pneumonia?

Adenocarcinoma, LB6



Cancer or pneumonia?
Bx: fungal infection



DDx of Consolidation


- Lung collapse
- **Lobar consolidation**
 - Infection (pneumonia)
 - Pulmonary infarction
 - Localized edema
 - others
- Lobar enlargement

Classification on Pneumonia


- Morphology classification --- Fraser
 - Lobar
 - Lobular
 - Bronchopneumonia
 - Interstitial
- Causatives classification --- Spencer
 - Bacterial
 - Viral




Pneumonia, RLL




Pneumonia, RML




Pneumonia, RML




Mycoplasma Pneumonia,
RML+RLL+LLL with CPPE




Lung ca, adenocarcinoma, RUL






Septic embolism




Miliary TB




Aspiration pneumonia




Pulmonary Infarction




Pulmonary Edema feathers




Acute pulmonary edema




Acute pulmonary edema




Lung ca, adenocarcinoma, RUL




adenocarcinoma, RML





Alveolar cell carcinoma




45y/o male, COVID-19 day 5



45y/o male, COVID-19 day 29



LLL adenocarcinoma



DDx of Consolidation

-Lobar Enlargement

- Outward bulging of septa
- D/D with encapsulated interlobar fluid
 - Sharp, biconvex shadow


DDx of Consolidation

-Lobar Enlargement

- **Klebsiella** pneumonia (Friedlander's pneumonia)
 - Pneumococcal , TB infection
 - Lung absces
 - Not rare in Ca
- **Hyperaeration**
 - Thin wall bullae
 - Obstructive emphysema
 - Congenital lobar emphysema




Klebsiella (Friedländer's) Pneumonia



Color's stain of sputum contains
Klebsiella pneumoniae organisms

Consolidation of r. upper lobe with wedge
margin; nodules are on surface and in
bronchi, which form "finger-like"
"granular lobes" seen on grossing; abscess
formation. Fibroplastic pneumonia.




Klebsiella colonies on
Endo agar. Growth is
slow and mucous, and
strips out when
drawn up on a loop.

PA and lateral chest
films, *Klebsiella*
pneumonia, r. upper lobe

© ELSEVIER, INC. - NETTERIMAGES.COM

Bulgin fissure sign in Kp pneumonia


Resuscitation & Intensive Care Med 2018;3:49-51




Kp pneumonia




Cavity lesion






Pulmonary TB


6 L



Septic embolism



Aspergilloma (ball in hole)



Ball in hole?


Pneumatocele with bil nipples

Objectives of Radiography Study




- Identify the location and extent of the consolidation
- **Correlation of clinical findings**
- The findings are consistent with disease process
- To assess the evolution on sequential films
- Identify any complicating features

Clinical Correlation

- **Clinical history**
 - **Acute air space disorder**
 - Pneumonia
 - Pulmonary edema
 - Pulmonary hemorrhage (pulm. thromboembolism)
- **Clinical course**
 - **Acute fever, chilliness with purulent sputum**
- Clinical physical signs
- Laboratory findings




RLL pneumonia




Adenocarcinoma, RUL




Bil lower metastases ?
Bil pneumonia??




Pneumocystis jirovecii pneumonia (PJP)




Pulmonary hemorrhage due to contusion




43y/o female, TOCC(+)




43y/o female, COVID-19 day 5



43y/o female, COVID-19 day 7




43y/o female,
COVID-19 day 14




43y/o female, COVID-19 day 30

Objectives of Radiography Study


- Identify the location and extent of the consolidation
- Correlation of clinical findings
- The findings are consistent with disease process
- To assess the evolution on sequential films
- Identify any complicating features




Idiopathic pulmonary fibrosis (IPF)




Pneumoconiosis




Bronchiectasis




Diffuse panbronchiolitis (DPB)




acute pulmonary edema



acute pul. Edema after diuretics treatment





ESRD with ac pul edema



RUL CAP, Not Pul TBc








Post myomectomy







Bil pneumonia??
pul edema +PLE?


Objectives of Radiography Study

- Identify the location and extent of the consolidation
- Correlation of clinical findings
- The findings are consistent with disease process
- To assess the evolution on sequential films
- Identify any complicating features




Lung ca, adenocarcinoma, RUL






**RLL SCC, with multiple meta
cT4N3M1c**






[F]






Lung ca, adenocarcinoma, LUL





78y/o male, referred from Neuro for cough



Lung adenocarcinoma, cT4N3M1c,
with multiple brain and bone metastases. stage IVB
Pulmonary tuberculosis, active, advanced




Lung adenoca, cT4N3M1c,
s/p TKI and C/T
Pul TB, active, advanced
s/p anti-TB Tx for 4 months



HFP

R





R





Objectives of Radiography Study

- **Identify the location and extent** of the consolidation
- **Correlation of clinical findings**
- The findings are consistent with disease process
- To assess the evolution on sequential films
- **Identify any complicating features**


Left upper-lobe collapse





Left lower-lobe collapse





Lingular consolidation





Right upper-lobe collapse



Right middle-lobe collapse



Right lower-lobe collapse



Thank you for your attention !!

